



WDN:ms 11/10/03 4810-66314 233524.doc

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**In re application of:** Lim

**Application No.** 10/618,540

**Filed:** July 9, 2003

**Confirmation No.**

**For:** HEMANGIOBLAST PROGENITOR  
CELLS

**Examiner:**

**Art Unit:** Not yet assigned

**Attorney Reference No.** 4810-66314

CERTIFICATE OF MAILING

I hereby certify that this paper and the documents referred to as being attached or enclosed herewith are being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: MAIL STOP MISSING PARTS, COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450 on the date shown below.

Attorney  
for Applicant(s)

*William D. Noonan*

Date Mailed November 10, 2003

INFORMATION DISCLOSURE STATEMENT  
PURSUANT TO 37 C.F.R. § 1.97(b)(3)

MAIL STOP MISSING PARTS  
COMMISSIONER FOR PATENTS  
P.O. BOX 1450  
ALEXANDRIA, VA 22313-1450

Listed on the accompanying form PTO-1449 and enclosed herewith are several English-language documents. Applicant respectfully requests that these documents be listed as references cited on the issued patent.

Applicant filed this Information Disclosure Statement ("IDS") before the mailing date of a first Office action on the merits. As a result, no fee should be required to file this IDS. However, if the Patent Office determines that a fee is required for Applicant to file this IDS, please charge any such fees, or credit overpayment, to Deposit Account No. 02-4550. A duplicate copy of this Information Disclosure Statement is enclosed.

The filing of this IDS shall not be construed to be an admission that the information cited in the statement is, or is considered to be, prior art or otherwise material to patentability as defined in 37 C.F.R. §1.56.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

By William D. Noonan  
William D. Noonan M.D.  
Registration No. 30,878

One World Trade Center, Suite 1600  
121 S.W. Salmon Street  
Portland, Oregon 97204  
Telephone: (503) 226-7391  
Facsimile: (503) 228-9446

Form PTO-1449 (Modified)	Atty. Docket No. 4810-66314	Serial No. 10/618,540
LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	Applicant LIM, SAI K.	
	Filing Date July 9, 2003	Group

**REFERENCE DESIGNATION U.S. PATENT DOCUMENTS**

EXAM. INIT.		DOCUMENT NUMBER							DATE	NAME	CLASS	SUB CLASS	FIL. DATE IF APPROPRIATE
	A1	5	3	9	9	3	4	6	21/03/1995	ANDERSON ET AL.	424	93.21	30/03/1997
	A2	5	5	9	9	7	0	3	04/02/1997	DAVIS ET AL.	435	373	28/10/1993
	A3	5	9	8	0	8	8	7	09/11/1999	ISNER ET AL	424	93.7	08/11/1996
	A4	6	4	1	0	0	1	5	25/06/2002	GORDON ET AL.	424	93.21	11/05/2000
	A5	0	0	6	8	0	4	5	06/05/2002	REUBINOFF ET AL.	424	93.7	14/03/2001

**FOREIGN PATENT DOCUMENTS**

		DOCUMENT NUMBER							DATE	COUNTRY	CLASS	SUB CLASS	TRANSLATION	
													YES	NO
	A6	9	5	0	5	4	5	2	23/02/1995	WO				

**OTHER ART (including Author, Title, Date, Pertinent Pages, Etc.)**

	A7	BAHARY, N., and Zon, L.I. (2001). Development. Endothelium--chicken soup for the endoderm. <i>Science</i> 294, 530-531.
	A8	BUSTELO, X.R., <i>et al.</i> (1993). Developmental expression of the vav protooncogene. <i>Cell Growth Differ</i> 4, 297-308.
	A9	CARMELET, P., <i>et al.</i> (1996). Abnormal blood vessel development and lethality in embryos lacking a single VEGF allele. <i>Nature</i> 380, 435-439.
	A10	CHOI, K., <i>et al.</i> (1998). A common precursor for hematopoietic and endothelial cells. <i>Development</i> 125, 725-732.
	A11	DAVIS, S., <i>et al.</i> (1996). Isolation of angiopoietin-1, a ligand for the TIE2 receptor, by secretion-trap expression cloning. <i>Cell</i> 87, 1161-1169.
	A12	DOETSCHMAN, T.C., <i>et al.</i> (1985). The <i>in vitro</i> development of blastocyst-derived embryonic stem cell lines: formation of visceral yolk sac, blood islands and myocardium. <i>J Embryol Exp Morphol.</i> 1985; 87:27-45.
	A13	DZIERZAK, E. (1999). Embryonic beginnings of definitive hematopoietic stem cells. <i>Ann N Y Acad Sci</i> 872, 256-262; discussion 262-254.
	A14	FERRARA, N., <i>et al.</i> (1996). Heterozygous embryonic lethality induced by targeted inactivation of the VEGF gene. <i>Nature</i> 380, 439-442.
	A15	FISCHER, K.D., <i>et al.</i> (1995). Defective T-cell receptor signalling and positive selection of Vav-deficient CD4+ CD8+ thymocytes. <i>Nature</i> 374, 474-477.
	A16	GODIN, I., <i>et al.</i> (1995). Emergence of multipotent hemopoietic cells in the yolk sac and paraaortic splanchnopleura in mouse embryos, beginning at 8.5 days postcoitus. <i>Proc Natl Acad Sci U S A</i> 92, 773-777.
	A17	HAMAGUCHI, I., <i>et al.</i> (1999). <i>In vitro</i> hematopoietic and endothelial cell development from cells expressing TEK receptor in murine aorta-gonad-mesonephros region. <i>Blood</i> 93, 1549-1556.
	A18	HERRMANN, B.G., and Kispert, A. (1994). The T genes in embryogenesis. <i>Trends Genet</i> 10, 280-286.
	A19	HROMAS, R., <i>et al.</i> (1993). Hematopoietic lineage- and stage-restricted expression of the ETS oncogene family member PU.1. <i>Blood</i> 82, 2998-3004.
	A20	JIANG, Y., <i>et al.</i> (2002). Pluripotency of mesenchymal stem cells derived from adult marrow. <i>Nature</i> 418, 41-49.
	A21	KATZAV, S., <i>et al.</i> (1989). vav, a novel human oncogene derived from a locus ubiquitously expressed in hematopoietic cells. <i>Embo J</i> 8, 2283-2290.
	A22	KELLER, G. (2001). The Hemangioblast. In <i>Stem Cell Biology</i> , D.R. Marshak, R.L. Gardener, and D. Gottlieb, eds. (Cold Spring Harbor, Cold Spring Harbor Laboratory Press), pp. 329-348.
	A23	KELLER, G., <i>et al.</i> (1993). Hematopoietic commitment during embryonic stem cell differentiation in culture. <i>Mol Cell Biol</i> 13, 473-486.

A24	KELLER, G., <i>et al.</i> (1999). Development of the hematopoietic system in the mouse. <i>Exp Hematol</i> 27, 777-787.
A25	KENNEDY, M., <i>et al.</i> (1997). A common precursor for primitive erythropoiesis and definitive haematopoiesis. <i>Nature</i> 386, 488-493.
A26	HAMMERT, E., <i>et al.</i> (2001). Induction of pancreatic differentiation by signals from blood vessels. <i>Science</i> 294, 564-567.
A27	LEVENBERG S., <i>et al.</i> (2002) Endothelial cells derived from human embryonic stem cells. <i>Proc Natl Acad Sci U S A.</i> 99, 4391-4396.
A28	LIM, S.K., <i>et al.</i> (1998). Increased susceptibility in Hp knockout mice during acute hemolysis. <i>Blood</i> 92, 1870-1877.
A29	LIN, C.S., <i>et al.</i> (1996). Differential effects of an erythropoietin receptor gene disruption on primitive and definitive erythropoiesis. <i>Genes Dev</i> 10, 154-164.
A30	MATSUMOTO, K., <i>et al.</i> (2001). Liver organogenesis promoted by endothelial cells prior to vascular function. <i>Science</i> 294, 559-563.
A31	MCKERCHER, S.R., <i>et al.</i> (1996). Targeted disruption of the PU.1 gene results in multiple hematopoietic abnormalities. <i>Embo J</i> 15, 5647-5658.
A32	MERCER, E.H., <i>et al.</i> (1991). The dopamine beta-hydroxylase gene promoter directs expression of E. coli lacZ to sympathetic and other neurons in adult transgenic mice. <i>Neuron</i> 7, 703-716.
A33	MOMBAERTS, P., <i>et al.</i> (1992). RAG-1 deficient mice have no mature B and T lymphocytes. <i>Cell</i> 68, 869-877.
A34	MOORE, M.S.A., and Metcalf, D. (1970). Ontogeny of the hematopoietic system: Yolk sac origin of <i>in vivo</i> and <i>in vitro</i> colony forming cells in the mouse embryo. <i>Br J Hematology</i> 18, 279-296.
A35	MULLER, A.M., <i>et al.</i> (1994). Development of hematopoietic stem cell activity in the mouse embryo. <i>Immunity</i> 1, 291-301.
A36	MURRAY, P.D.F. (1932). The development <i>in vitro</i> of the blood of the early chick embryo. <i>Proc Roy Soc London</i> 11, 497-521.
A37	NERLOV, C., and Graf, T. (1998). PU.1 induces myeloid lineage commitment in multipotent hematopoietic progenitors. <i>Genes Dev</i> 12, 2403-2412.
A38	NISHIKAWA, S.I., <i>et al.</i> (1998). Progressive lineage analysis by cell sorting and culture identifies FLK1+VE-cadherin+ cells at a diverging point of endothelial and hemopoietic lineages. <i>Development</i> 125, 1747-1757.
A39	ORKIN, S.H. (2001). Hematopoietic Stem Cells: Molecular Diversification and Developmental Interrelationships. In <i>Stem Cell Biology</i> , D.R. Marshak, R.L. Gardener, and D. Gottlieb, eds. (Cold Spring Harbor, Cold Spring Harbor Laboratory Press).
A40	PEVNY, L., <i>et al.</i> (1991). Erythroid differentiation in chimaeric mice blocked by a targeted mutation in the gene for transcription factor GATA-1. <i>Nature</i> 349, 257-260.
A31	ROBB, L., <i>et al.</i> (1996). The scl gene product is required for the generation of all hematopoietic lineages in the adult mouse. <i>Embo J</i> 15, 4123-4129.
A42	ROBERTSON, E.J. (1987). Embryo-derived stem cell lines. In <i>Teratocarcinomas and embryonic stem cells: a practical approach</i> , E.J. Robertson, ed. (Oxford, IRL Press Limited), pp. 71-112.
A43	ROGERS, M.B., <i>et al.</i> (1991). Specific expression of a retinoic acid-regulated, zinc-finger gene, Rex-1, in preimplantation embryos, trophoblast and spermatocytes. <i>Development</i> 113, 815-824.
A44	SABIN, E.R. (1920). Studies on the origin of blood vessels and of red corpuscles as seen in the living blastoderm of the chick during the second day of incubation. <i>Contributions to Embryology</i> 9, 213-262.
A45	SCOTT, E.W., <i>et al.</i> (1994). Requirement of transcription factor PU.1 in the development of multiple hematopoietic lineages. <i>Science</i> 265, 1573-1577.
A46	SHALABY, F., <i>et al.</i> (1995). Failure of blood-island formation and vasculogenesis in Flk-1-deficient mice. <i>Nature</i> 376, 62-66.
A47	SIMON, M.C., <i>et al.</i> (1992). Rescue of erythroid development in gene targeted GATA-1- mouse embryonic stem cells. <i>Nat Genet</i> 1, 92-98.
A48	SMITH, J. (1997). Brachyury and the T-box genes. <i>Curr Opin Genet Dev</i> 7, 474-480.
A49	SURI, C., <i>et al.</i> (1998). Increased vascularization in mice overexpressing angiopoietin-1. <i>Science</i> 282, 468-471.
A50	TAKAKURA, N., <i>et al.</i> (1998). Critical role of the TIE2 endothelial cell receptor in the development of definitive hematopoiesis. <i>Immunity</i> 9, 677-686.

A51	TARAKHOVSKY, A., <i>et al.</i> (1995). Defective antigen receptor-mediated proliferation of B and T cells in the absence of Vav. <i>Nature</i> 374, 467-470.
A52	TECHNAU, U. (2001). Brachyury, the blastopore and the evolution of the mesoderm. <i>Bioessays</i> 23, 78-794.
A53	WILES, M.V. (1993) Embryonic stem cell differentiation <i>in vitro</i> . <i>Methods in Enzymology</i> . 225, 900-918.
A54	WU, H., <i>et al.</i> (1995). Generation of committed erythroid BFU-E and CFU-E progenitors does not require erythropoietin or the erythropoietin receptor. <i>Cell</i> 83, 59-67.

EXAMINER	DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

JDM:RTG:jcb:aet